The International Journal of
Robotics Research

Author Index Volumes 1 to 5

Alexander, R. McN. The gaits of bipedal and quadrupedal animals. 3:2 pp. 49–59.
Angeles, J. On the numerical solution of the inverse kinematic problem. 4:2 pp. 21–37.
Angeles, J. Iterative kinematic inversion of general five-axis robot manipulators. 4:4 pp. 59–70.
Atkeson, C. G., An, C. H. and Hollerbach, J. M. Estimation of inertial parameters of manipulator loads and links. 5:3 pp. 101–119.
Bajpai, A. and Roth, B. Workspace and mobility of a closed-loop manipulator. 5:2 pp. 131–142.
Beni, G., et al. Dynamic sensing for robots: an analysis and implementation. 2:2 pp. 51–61.
Binford, T. O. Survey of model-based image analysis systems. 1:1 pp. 18–64.
Bobrow, J., Dubowsky, S. and Gibson, J. Time optimal control of robotic manipulators along specified paths. 4:3 pp. 3–17.
Bolles, R. C. and Horaud, P. 3DPO: a three-dimensional part orientation system. 5:3 pp. 3–26.
Bolles, R. C. and Cain, R. Recognizing and locating partially visible objects: the local-feature-focus method. 1:3 pp. 57–82.
Book, W. Recursive Lagrangian dynamics of flexible manipulator arms. 3:3 pp. 87–101.
Brady, M. and Asada, H. Smoothed local symmetries and their implementation. 3:3 pp. 36–61.
Brooks, R. A. Planning collision-free motions for pick-and place operations. 2:4 pp. 19–44.
Brooks, R. A. Symbolic error analysis and robot planning. 1:4 pp. 29–68.
Brou, P. Using the Gaussian image to find the orientation of objects. 3:4 pp. 89–125.
Brown, M. K. The extraction of curved surface features with generic range sensors. 5:1 pp. 3–18.
Cannon, R. and Schmitz, E. Initial experiments on the end-point control of a flexible one-link robot. 3:3 pp. 62–75.
Castain, R. and Paul, R. P. An on-line dynamic trajectory generator. 3:1 pp. 68–72.
Chand, S. and Doty, K. L. On-line polynomial trajectories for robot manipulators. 4:2 pp. 38–48.
Chattergy, R. Some heuristics for the navigation of a robot. 4–1 pp. 59–66.
Clocksin, W. F., et al. An implementation of model based visual feedback for robot arc welding of thin sheet steel. 4:1 pp. 13–26.
Cutkosky, M. R. and Wright, P. K. Friction, stability and the design of robotic fingers. 5:4 pp. 20–37.
Cvetković, V. and Vukobratović, M. One robust dynamic control algorithm for manipulation systems. 1:4 pp. 15–28.
Dagalakis, N. and Myers, D. Adjustment of robot joint gear backlash. 4:2 pp. 65–79.
Derby, S. Simulating motion elements of general-purpose robot arms. 2:1 pp. 3–12.
Desa, S. and Roth, B. Synthesis of control systems for manipulators using multivariable robust servomechanism theory. 4:3 pp. 18–34.
Dufay, B. and Latombe, J.-C. An approach to automatic robot programming based on inductive learning. 3:4 pp. 3–20.
Erdman, A., Thompson, T. and Riley, D. R. Type selection of robot and gripper kinematic topology using expert systems. 5:2 pp. 183–189.
Erdmann, M. Using backprojections for fine motion planning with uncertainty. 5:1 pp. 19–45.
Faessler, H. Computer-assisted generation of dynamical equations for multibody systems. 5:3 pp. 129–141.
Faugeras, O. D. and Hebert, M. The representation, recognition, and locating of 3D Objects. 5:3 pp. 27–52.
Fearing, R. and Hollerbach, J. M. Basic solid mechanics for tactile sensing. 4:3 pp. 40–54.
Featherstone, R. Book review of *A Geometric Investigation of Reach* by Korein 5:1 pp. 99.
Featherstone, R. Position and velocity transformations between robot end-effector coordinates and joint angles. 2:2 pp. 35–45.
Featherstone, R. The calculation of robot dynamics using articulated-body inertias. 2:1 pp. 13–30.
Fichter, E. F. A Stewart Platform-based manipulator: general theory and practical construction. 5:2 pp. 157–182.
Fournier, S. and Schilling, R. J. Decoupling of a two-axis robotic manipulator using nonlinear state feedback. 3:3 pp. 76–86.

The International Journal of
Robotics Research

Author Index Volumes 1 to 5

Alexander, R. McN. The gaits of bipedal and quadrupedal animals. 3:2 pp. 49–59.
Angeles, J. On the numerical solution of the inverse kinematic problem. 4:2 pp. 21–37.
Angeles, J. Iterative kinematic inversion of general five-axis robot manipulators. 4:4 pp. 59–70.
Atkeson, C. G., An, C. H. and Hollerbach, J. M. Estimation of inertial parameters of manipulator loads and links. 5:3 pp. 101–119.
Bajpai, A. and Roth, B. Workspace and mobility of a closed-loop manipulator. 5:2 pp. 131–142.
Beni, G., et al. Dynamic sensing for robots: an analysis and implementation. 2:2 pp. 51–61.
Binford, T. O. Survey of model-based image analysis systems. 1:1 pp. 18–64.
Bobrow, J., Dubowsky, S. and Gibson, J. Time optimal control of robotic manipulators along specified paths. 4:3 pp. 3–17.
Bolles, R. C. and Horaud, P. 3DPO: a three-dimensional part orientation system. 5:3 pp. 3–26.
Bolles, R. C. and Cain, R. Recognizing and locating partially visible objects: the local-feature-focus method. 1:3 pp. 57–82.
Book, W. Recursive Lagrangian dynamics of flexible manipulator arms. 3:3 pp. 87–101.
Brady, M. and Asada, H. Smoothed local symmetries and their implementation. 3:3 pp. 36–61.
Brooks, R. A. Planning collision-free motions for pick-and place operations. 2:4 pp. 19–44.
Brooks, R. A. Symbolic error analysis and robot planning. 1:4 pp. 29–68.
Brou, P. Using the Gaussian image to find the orientation of objects. 3:4 pp. 89–125.
Brown, M. K. The extraction of curved surface features with generic range sensors. 5:1 pp. 3–18.
Cannon, R. and Schmitz, E. Initial experiments on the end-point control of a flexible one-link robot. 3:3 pp. 62–75.
Castain, R. and Paul, R. P. An on-line dynamic trajectory generator. 3:1 pp. 68–72.
Chand, S. and Doty, K. L. On-line polynomial trajectories for robot manipulators. 4:2 pp. 38–48.
Chattergy, R. Some heuristics for the navigation of a robot. 4–1 pp. 59–66.
Clocksin, W. F., et al. An implementation of model based visual feedback for robot arc welding of thin sheet steel. 4:1 pp. 13–26.
Cutkosky, M. R. and Wright, P. K. Friction, stability and the design of robotic fingers. 5:4 pp. 20–37.
Cvetković, V. and Vukobratović, M. One robust dynamic control algorithm for manipulation systems. 1:4 pp. 15–28.
Dagalakis, N. and Myers, D. Adjustment of robot joint gear backlash. 4:2 pp. 65–79.
Derby, S. Simulating motion elements of general-purpose robot arms. 2:1 pp. 3–12.
Desa, S. and Roth, B. Synthesis of control systems for manipulators using multivariable robust servomechanism theory. 4:3 pp. 18–34.
Dufay, B. and Latombe, J.-C. An approach to automatic robot programming based on inductive learning. 3:4 pp. 3–20.
Erdman, A., Thompson, T. and Riley, D. R. Type selection of robot and gripper kinematic topology using expert systems. 5:2 pp. 183–189.
Erdmann, M. Using backprojections for fine motion planning with uncertainty. 5:1 pp. 19–45.
Faessler, H. Computer-assisted generation of dynamical equations for multibody systems. 5:3 pp. 129–141.
Faugeras, O. D. and Hebert, M. The representation, recognition, and locating of 3D Objects. 5:3 pp. 27–52.
Fearing, R. and Hollerbach, J. M. Basic solid mechanics for tactile sensing. 4:3 pp. 40–54.
Featherstone, R. Book review of *A Geometric Investigation of Reach* by Korein 5:1 pp. 99.
Featherstone, R. Position and velocity transformations between robot end-effector coordinates and joint angles. 2:2 pp. 35–45.
Featherstone, R. The calculation of robot dynamics using articulated-body inertias. 2:1 pp. 13–30.
Fichter, E. F. A Stewart Platform-based manipulator: general theory and practical construction. 5:2 pp. 157–182.
Fournier, S. and Schilling, R. J. Decoupling of a two-axis robotic manipulator using nonlinear state feedback. 3:3 pp. 76–86.

Freund, E. Fast nonlinear control with arbitrary pole-placement for industrial robots and manipulators. 1:1 pp. 65–78.
Gouzénes, L. Strategies for solving collision-free trajectories problems for mobile and manipulator robots. 3:4 pp. 51–65.
Grimson, W. E. L. and Lozano-Perez, T. Model-based recognition and localization from sparse range or tactile data. 3:3 pp. 3–35.
Gupta, K. C. Kinematic analysis of manipulators using the zero reference position description. 5:2 pp. 5–13.
Gupta, K. C. On the nature of robot workspace. 5:2 pp. 112–121.
Hackwood, S., et al. A torque-sensitive tactile array for robotics. 2:2 pp. 46–50.
Hansen, J. A., Gupta, K. C. and Kazerounian, S. M. K. Generation and evaluation of the workspace of a manipulator. 2:3 pp. 22–31.
Haralick, R. M., Watson, L. T. and Laffey, T. J. The topographic primal sketch. 2:1 pp. 50–72.
Harmon, L. D. Automated tactile sensing. 1:2 pp. 3–32.
Harmon, L. D. Robotic taction for industrial assembly. 3:1 pp. 73–76.
Hayward, V. and Paul, R. P. Robot manipulator control under UNIX RCCL: A robot control 'C' library. 5:4 pp. 94–111.
Hemami, H. and Chen, B. Stability analysis and input design of a two-link planar biped. 3:2 pp. 93–100.
Hillis, W. D. A high-resolution image touch sensor. 1:2 pp. 33–44.
Hirose, S. A study of design and control of a quadruped walking vehicle. 3:2 pp. 113–133.
Hollerbach, J. M. and Sahar, G. Wrist-partitioned inverse kinematic accelerations and manipulator dynamics. 2:4 pp. 61–76.
Hopcroft, J. E., Schwartz, J. T., and Sharir, M. On the complexity of motion planning for multiple independent objects: *PSPACE*-hardness of the "Warehouseman's Problem". 3:4 pp. 76–88.
Hopcroft, J. E., Schwartz, J. T. and Sharir, M. Efficient detection of intersections among spheres. 2:4 pp. 77–80.
Hopcroft, J. E. and Wilfong, G. Motion of objects in contact. 4:4 pp. 32–46.
Hornick, M. and Ravani, B. Computer-aided off-line planning and programming of robot motion. 4:4 pp. 18–31.
Ikeuchi, K., et al. Determining grasp configurations using photometric stereo and the PRISM binocular stereo system. 5:1 pp. 46–65.
Ish-Shalom, J. The CS language concept: a new approach to robot motion design. 4:1 pp. 42–58.
Jacobsen, S., et al. The Utah/MIT dextrous hand: work in progress. 3:4 pp. 21–50.
Kalvin, A., Schonberg, E., Schwartz, J. T., and Sharir, M. Two-dimensional, model-based, boundary matching using footprints. 5:4 pp. 38–55.
Kane, T. and Levinson, D. The use of Kane's dynamical equations in robotics. 2:3 pp. 3–21.
Kant, K. and Zucker, S. W. Toward efficient trajectory planning: the path-velocity decomposition. 5:3 pp. 72–89.
Kelley, R. B. Book review of *Handbook of Industrial Robotics,* Shimon Y. Nof, (ed.). 5:3 pp. 142–143.
Kerr, J. and Roth, B. Analysis of multifingered hands. 4:4 pp. 3–17.
Khatib, O. Real-time obstacle avoidance for manipulators and mobile robots. 5:1 pp. 90–98.
Khosla, P. K., Neuman, C. P. and Prinz, F. B. An algorithm for seam tracking applications. 4:1 pp. 27–41.
Kirćanski, M. and Vukobratović, M. Contribution to control of redundant robotic manipulators in an environment with obstacles. 5:4 pp. 112–119.
Klein, C. A., and Wahawisan, W. Use of a multiprocessor for control of a robotic system. 1:2 pp. 45–59.
Klein, C. A., Olson, K. and Pugh, D. Use of force and attitude sensors for locomotion of a legged vehicle over irregular terrain. 2:2 pp. 3–17.
Kobayashi, H. Control and geometrical considerations for an articulated robot hand. 4:1 pp. 3–12.
Kumar, A. and Patel, M. S. Mapping the manipulators workspace using interactive computer graphics. 5:2 pp. 122–130.
Kuribayashi, K. A new actuator of a joint mechanism using TiNi alloy wire. 4:4 pp. 47–58.
Lai, Z. C. and Yang, D. C. H. A new method for the singularity analysis of simple six-link manipulators. 5:2 pp. 66–74.
Lathrop, R. Parallelism in manipulator dynamics. 4:2 pp. 80–102.

Lavin, M., and Lieberman L. AML/V: an industrial machine vision programming system. 1:3 pp. 42–56.
Lin, C. C. D. and Freudenstein, F. Optimization of the workspace of a three-link turning pair connected robot arm. 5:2 pp. 104–111.
Litvin, F. L. and Zhang, Y. Robotic bevel-gear differential train. 5:2 pp. 75–81.
Litvin, F. L., et al. Singularities, configurations, and displacement functions for manipulators. 5:2 pp. 52–65.
Low, K. H. and Dubey, R. N. A comparative study of generalized coordinates for solving the inverse-kinematics problem of a 6R robot manipulator. 5:4 pp. 69–88.
Lozano-Perez, T., Mason, M. and Taylor, R. Automatic synthesis of fine motion strategies for robots. 3:1 pp. 3–24.
Maciejewski, A. and Klein, C. A. Obstacle avoidance for kinematically redundant manipulators in dynamically varying environments. 4:3 pp. 109–117.
Mason, M. T. Mechanics and planning of manipulator pushing operations. 5:3 pp. 53–71.
McCarthy, J. M. Dual orthogonal matrices in manipulator kinematics. 5:2 pp. 45–51.
McMahon, T. A. Mechanics of locomotion. 3:2 pp. 4–28.
Miura, H. and Shimoyama, I. Dynamic walk of a biped. 3:2 pp. 60–74.
Nevins, J. L., Edsall, A. C. and Seltzer, D. S. Book review of *Robot Technology and Applications,* K. Rathmill, et al. (eds.). 5:3 pp. 144–146.
Okada, T. Optimization of mechanisms for force generation by using pulleys and spring. 5:1 pp. 77–89.
Okada, T. An optical sensor for measuring overall direction of action by using a projected image. 2:3 pp. 32–45.
Okada, T. Development of an optical distance sensor for robots. 1:4 pp. 3–14.
Orin, D. E. and Schrader, W. Efficient computation of the Jacobian for robot manipulators. 3:4 pp. 66–75.
Orin, D. E. Supervisory control of a multilegged robot. 1:1 pp. 79–91.
Ozguner, F., Tsai, S. J., and McGhee, R. An approach to the use of terrain-preview information in rough-terrain locomotion by a hexapod walking machine. 3:2 pp. 134–146.
Paul, B. and Rosa, J. Kinematics simulation of serial manipulators. 5:2 pp. 14–31.
Paul, R. P. and Zhang, H. Computationally efficient kinematics for manipulators with spherical wrists based on the homogeneous transformation representation. 5:2 pp. 32–44.
Paul, R. P. and Stevenson, C. Kinematics of robot wrists. 2:1 pp. 31–38.
Pearson, K. G. and Franklin, R. Characteristics of leg movements and patterns of coordination in locusts walking on rough terrain. 3:2 pp. 101–112.
Pipitone, F. J. and Marshall, T. G. A wide-field scanning triangulation rangefinder for machine vision. 2:1 pp. 39–49.
Raibert, M. H., Brown, H., and Chepponis, M. Experiments in balance with a 3D one-legged hopping machine. 3:2 pp. 75–92.
Raibert, M. H. Running with symmetry. 5:4 pp. 3–19.
Raibert, M. H. and Tanner, J. E. Design and implementation of a VLSI tactile sensing computer. 1:3 pp. 3–18.
Requicha, A. Toward a theory of geometric tolerancing. 2:4 pp. 45–60.
Russell, R. A. A thermal sensor array to provide tactile feedback for robots. 4:3 pp. 35–39.
Sahar, G. and Hollerbach, J. M. Planning of minimum-time trajectories for robot arms. 5:3 pp. 90–100.
Salisbury, J. K. and Craig, J. J. Articulated hands: force control and kinematic issues. 1:1 pp. 4–17.
Sandor, G. N., Xu, Y. and Wen, T. C. Synthesis of 7-R spatial motion generators with prescribed crank rotations and elimination of branching. 5:2 pp. 143–156.
Schwartz, J. T. and Sharir, M. On the Piano Movers' problem. III. coordinating the motion of several independent bodies: the special case of circular bodies moving amidst polygonal barriers. 2:3 pp. 46–75.
Shih, L. Y. On the elliptic path of an end-effector for an anthropomorphic manipulator. 3:1 pp. 51–57.
Silver, W. M. On the equivalence of Lagrangian and Newton-Euler dynamics for manipulators. 1:2 pp. 60–70.
Slotine, J.-J. The robust control of robot manipulators. 4:2 pp. 49–64.

Smith, R. and Cheeseman, P. On the representation and estimation of spatial uncertainty. 5:4 pp. 56–68.
Stanišić, M. M. and Pennock, G. The canonical inverse velocity and acceleration solutions of a planar two-link open chain. 5:2 pp. 82–90.
Stanišić, M. M. and Pennock, G. A nondegenerate kinematic solution of a seven-jointed robot manipulator. 4:2 pp. 10–20.
Stokić, D., Vukobratović, M. and Hristić, D. Implementation of force feedback in manipulation robots. 5:1 pp. 66–76.
Sturdivant, V. R. Transformation mathematics of a mobile robot work center. 5:4 pp. 89–93.
Summers, P. D. and Grossman, D. XPROBE: an experimental system for programming robots by example. 3:1 pp. 25–39.
Sutherland, I. E. and Ullner, M. Footprints in the asphalt. 3:2 pp. 29–36.
Taylor, R. H., Summers, P. D. and Meyer, J. M. AML: A manufacturing language. 1:3 pp. 19–41.
Tomizuka, M. and Janczak, D. Linear quadratic design of decoupled preview controllers for robotic arms. 4:1 pp. 67–74.
Trevelyan, J., et al. ET: A wrist mechanism without singular positions. 4:4 pp. 71–85.
Vijaykumar, R. Waldron, K. J. and Tsai, M. J. Geometric optimization of serial chain manipulator structures for working volume and dexterity. 5:2 pp. 91–103.
Vukobratović, M. and Stokić, D. Is dynamic control needed in robotic systems, and, if so, to what extent? 2:2 pp. 18–34.
Waldron, K., et al. Configuration design of the adaptive suspension vehicle. 3:2 pp. 37–48.
Wampler, C. Multiprocessor control of a telemanipulator with optical proximity sensors. 3:1 pp. 40–50.
Waxman, A. and Ullman, S. Surface structure and 3-D motion from image flow kinematics. 4:3 pp. 72–94.
Waxman, A. and Wohn, K. Contour evolution, neighborhood deformation and global image flow: planar surfaces in motion. 4:3 pp. 95–108.
Whitney, D. E. Gustavson, R. and Hennessey, M. Designing chamfers. 2:4 pp. 3–18.
Wu, C.-H. A kinematic CAD tool for the design and control of a robot manipulator. 3:1 pp. 58–67.
Wu, C.-H. Compliance control of a robot manipulator based on joint torque servo. 4:3 pp. 55–71.
Yang, D. and Tzeng, S. Simplification and linearization of manipulator dynamics by the design of inertia distribution. 5:3 pp. 120–128.
Yoshikawa, T. Manipulability of robotic mechanisms. 4:2 pp. 3–9.